

Node 202 + Integra SFX 450W PSU

The Node 202 is the ultimate PC case for those looking for a beautifully designed, compact chassis that can house a capable gaming build.

This small footprint is an intelligently built unit where extreme detail was placed into the design phase to get every line and spec in perfect harmony. With both horizontal and vertical orientation possibilities, the Node 202 can be placed anywhere in the house. The sleek design makes it very attractive next to the TV in the living room or on your desk in the office.

The internal layout of the Node 202 keeps the hot components separate and has them all placed in proximity of free-flow air so the case will run cool despite not having any extra case fans.

The Integra SFX 450W PSU that comes inclusive with the enclosure provides stable power to the most demanding systems. It comes with customized connectors and tailored cables perfectly fitted for use within the Node 202, contributing to hassle-free installation and cable management.

Steamed for Perfection.

Key Features

- Featuring a sleek and elegant design that will fit in any space or room
- Extremely small footprint with a volume of only 10.2 liters
- A highly versatile case that can be set up both vertically and horizontally
- Supports Mini-ITX motherboards, SFX power supplies and graphics cards up to 310mm in length
- Provides a smart thermal interior design highlighting separate motherboard and graphics card chambers
- Strategically placed air filters for a dust free interior
- Includes a Fractal Design Integra SFX 450W power supply with specialized cables for the Node 202 case, providing the right connectors with precise cable lengths
- Includes a Fractal Design Integra SFX 450W power supply with specialized cables for the Node 202 case, providing the right connectors with precise cable lengths
- Quiet and efficient operation at 80PLUS Bronze efficiency with a 3 year warranty



General Specifications - Node 202

Drive bay capacity	• 2 - 2.5" positions
Expansion slots	• 2
Motherboard compatibility	• Mini ITX
Cooling / Ventilation	• 2 - 120mm optional fan positions in Graphics card chamber
Front interface	• 2 USB 3.0 • Audio in/out • Power button with LED (white)
Power supply compatibility	• SFX PSUs up to 130 mm long
CPU cooler compatibility	• CPU coolers up to 56 mm in height
Graphics card compatibility	• Maximum dimension of graphics card: 310x145x-47mm (LxHxD)
Additional information	• Can be placed both vertical and horizontal position • 3 dust filters included (for CPU, GPU and PSU)
Colors Available	• Black
Case volume	• 10.2 litres
Case dimensions (Horizontal) - W x H x D (mm)	• 377 x 82 x 330
Case dimensions - (Horizontal) with feet/protrusions/screws	• 377 x 88 x 332
Case dimensions (Vertical) - with feet/protrusions/screws	• 125 x 385 x 332
Net weight (kg)	• 3.5
Package dimensions - W x H x D (mm)	• 145 x 463 x 388
Package weight – (case+PSU) (kg)	• 5.2

Package contents

- Node 202 computer case
- Accessory Box
- User manual
- Riser card for graphics card
- Vertical stand
- Integra SFX 450W PSU

Description	Art. Number	EAN Code	UPC Code
Fractal Design Node 202 Black w/ PSU, AU cord	FD-MCA-NODE-202-AA-AU	7350041083979	817301013970
Fractal Design Node 202 Black w/ PSU, EU cord	FD-MCA-NODE-202-AA-EU	7350041083986	817301013987
Fractal Design Node 202 Black w/ PSU, JP cord	FD-MCA-NODE-202-AA-JP	7350041083993	817301013994
Fractal Design Node 202 Black w/ PSU, UK cord	FD-MCA-NODE-202-AA-UK	7350041084006	817301014007
Fractal Design Node 202 Black w/ PSU, US cord	FD-MCA-NODE-202-AA-US	7350041084013	817301014014
Fractal Design Node 202 Black w/ PSU, ZA cord	FD-MCA-NODE-202-AA-ZA	7350041084020	817301014021

Cable Specification - Integra SFX 450W

Number of Connectors	Type	Length (mm)
1	ATX 24-pin (20+4)	300
1	ATX 12V 8-Pin (4+4)	400
2	PCI-E 8-pin (6+2)	400 + 100
2	SATA	150 + 100

DC Output - Integra SFX 450W

3.3V	21A
5V	22A
3.3 and 5V combined	120W
12V1	18A
12V2	18A
-12V	0.5A
5V Standby (+5Vsb)	2.5A
Total power	450W



General Specification - Integra SFX 450W

80PLUS® Certification	<ul style="list-style-type: none"> Bronze
Modular cables	<ul style="list-style-type: none"> No
Fan type	<ul style="list-style-type: none"> 80mm Temperature controlled
Maximum operating temperature at full load	<ul style="list-style-type: none"> 50°C (50°C @ 100%)
Fully Intel Haswell C6/C7 compliant	<ul style="list-style-type: none"> Yes
Warranty	<ul style="list-style-type: none"> 3 years
Capacitors	<ul style="list-style-type: none"> Taiwanese
Protections	<ul style="list-style-type: none"> OPP / OVP / UVP / SCP / OCP
Life expectancy (MTBF)	<ul style="list-style-type: none"> 100,000 hours
PSU specification compliance	<ul style="list-style-type: none"> SFX 3.3
Standby efficiency	<ul style="list-style-type: none"> ErP 2013 compliant (<0.5W system power draw)
Colors available	<ul style="list-style-type: none"> Black
Unit measurements - WxHxD (mm)	<ul style="list-style-type: none"> 125 x 64 x 100
Net weight (kg)	<ul style="list-style-type: none"> 1.0